Tire Science and Technology
Index to Volume 17
1989

Number	Months	Pages
1	Jan.–March	1– 84
2	April–June	85–156
3	July–Sept.	157–234
4	Oct.–Dec.	235–334

A

Akasaka, T., Katoh, M., and Makinouchi, H.: Torsional stiffness of a steel-cord-reinforced belt structure, Oct.–Dec., 274

Allaei, D., Soedel, W., and Yang, T. Y.: Mathematical models of stiffness nonuniformity and run-out effects as measured on a low speed nonuniformity machine, July–Sept., 158

Axle forces
  A statistical model of tire uniformity distributions (Schuring), Jan.–March, 2

B

Bandel, P. and Di Bernardo, C.: A test for measuring transient characteristics of tires, April–June, 126

Bass, J. M.: *see* Faria, L. O., Bass, J. M., Oden, J. T., and Becker, E. B.

Becker, E. B.: *see* Faria, L. O., Bass, J. M., Oden, J. T., and Becker, E. B.

C

Camber angle
  Indoor test procedures for evaluation of tire treadwear and influence of suspension alignment (Yamazaki, Fujikawa, Hasegawa, and Ogasawara), Oct.–Dec., 236

Camber stiffness
  Improvements of wandering performance by investigation into characteristics of tires (Yamashita and Shiraishi), July–Sept., 175

Chang, J. P.: *see* Tseng, N. T., Pelle, R. G., and Chang, J. P.

Combined inclination and slip angles
  Characteristics of tire force and moment data (Pottinger and Fairlie), Jan.–March, 15

Composites
  Design and analysis of a composite integral wheel-tire (Su), April–June, 138
  Tire design theory based on optimization of stress-strain cycles of its elements (CSSOT) (Tretyakov and Sokolov), April–June, 100

Computer modeling
  Computer modeling of a tire under cornering loads (Gardner and Theves), April–June, 86

Conicity
Indoor test procedures for evaluation of tire treadwear and influence of suspension alignment (Yamazaki, Fujikawa, Hasegawa, and Ogasawara), Oct.–Dec., 236
Contact pressure
Finite element simulation of tire-rim interface (Tseng, Pelle, and Chang), Oct.–Dec., 305
Cord-rubber composites
Determination of stiffness properties of multi-ply cord rubber composites (Parhizgar), July–Sept., 201
Cornering
A three-dimensional rolling contact model for a reinforced rubber tire (Faria, Bass, Oden, and Becker), July–Sept., 217
Cornering loads
Computer modeling of a tire under cornering loads (Gardner and Theves), April–June, 86
Phase lag of tire cornering force (Hanada, Nagumo, and Mashita), July–Sept., 184
Cornering phase lag
Phase lag of tire cornering force (Hanada, Nagumo, and Mashita), July–Sept., 184
Cornering stiffness
A test for measuring transient characteristics of tires (Bandel and Di Bernardo), April–June, 126
Theoretical laws for rear steering in four-wheel steering vehicles, seen from the tire's point of view (Salerno), Jan.–March, 52
Coupled torsional-extensional deformation
Torsional stiffness of a steel-cord-reinforced belt structure, (Akasaka, Katoh, and Makinouchi), Oct.–Dec., 274

D

Design
Design and analysis of a composite integral wheel-tire (Su), April–June, 138
Di Bernardo, C.: *see* Bandel, P. and Di Bernardo, C.
Domscheit, A., Rothert, H., and Winkelmann, T.: Refined methods for tire computation, Oct.–Dec., 291

F

Failure types
Tire design theory based on optimization of stress-strain cycles of its elements (CSSOT) (Tretyakov and Sokolov), April–June, 100
Fairlie, A. M.: *see* Pottinger, M. G. and Fairlie, A. M.
Faria, L. O., Bass, J. M., Oden, J. T., and Becker, E. B.: A three-dimensional rolling contact model for a reinforced rubber tire, July–Sept., 217
Fatigue
Tire design theory based on optimization of stress-strain cycles of its elements (CSSOT) (Tretyakov and Sokolov), April–June, 100
Finite element analysis
A three-dimensional rolling contact model for a reinforced rub-

ber tire (Faria, Bass, Oden, and Becker), July–Sept., 217
Computer modeling of a tire under cornering loads (Gardner and Theves), April–June, 86
Design and analysis of a composite integral wheel-tire (Su), April–June, 138
Determination of stiffness properties of multi-ply cord rubber composites (Parhizgar), July–Sept., 201
Finite element simulation of tire-rim interface (Tseng, Pelle, and Chang), Oct.–Dec., 305
Refined methods for tire computation (Domscheit, Rothert, and Winkelmann), Oct.–Dec., 291
Force variation
Mathematical models of stiffness nonuniformity and run-out effects as measured on a low speed nonuniformity machine (Allaei, Soedel, and Yang), July–Sept., 158
Friction
A three-dimensional rolling contact model for a reinforced rubber tire (Faria, Bass, Oden, and Becker), July–Sept., 217
Fujikawa, T.: *see* Yamazaki, S., Fujikawa, T., Hasegawa, A., and Ogasawara, S.

G

Gap element
Finite element simulation of tire-rim interface (Tseng, Pelle, and Chang), Oct.–Dec., 305
Gardner, I. and Theves, M.: Computer modeling of a tire under cornering loads, April–June, 86
Grips for composite testing
Determination of stiffness properties of multi-ply cord rubber composites (Parhizgar), July–Sept., 201
Gumming
Indoor test procedures for evaluation of tire treadwear and influence of suspension alignment (Yamazaki, Fujikawa, Hasegawa, and Ogasawara), Oct.–Dec., 236

H

Hanada, R., Nagumo, T., and Mashita, T.: Phase lag of tire cornering force, July–Sept., 184
Handling
Phase lag of tire cornering force (Hanada, Nagumo, and Mashita), July–Sept., 184
Hasegawa, A.: *see* Yamazaki, S., Fujikawa, T., Hasegawa, A., and Ogasawara, S.
Hyperelastic material laws
Refined methods for tire computation (Domscheit, Rothert, and Winkelmann), Oct.–Dec., 291

I

Interference fit
Finite element simulation of tire-rim interface (Tseng, Pelle, and Chang), Oct.–Dec., 305
Interply shearing stress
Torsional stiffness of a steel-cord-reinforced belt structure, (Aka-

saka, Katoh, and Makinouchi), Oct.–Dec., 274

K

Katoh, M.: *see* Akasaka, T., Katoh, M., and Makinouchi, H.

L

Laminated shell elements
Refined methods for tire computation (Domscheit, Rothert, and Winkelmann), Oct.–Dec., 291
Laminates
Determination of stiffness properties of multi-ply cord rubber composites (Parhizgar), July–Sept., 201
Lamination theory
Torsional stiffness of a steel-cord-reinforced belt structure, (Akasaka, Katoh, and Makinouchi), Oct.–Dec., 274
Large deformation
A three-dimensional rolling contact model for a reinforced rubber tire (Faria, Bass, Oden, and Becker), July–Sept., 217

M

Makinouchi, H.: *see* Akasaka, T., Katoh, M., and Makinouchi, H.
Mashita, T.: *see* Hanada, R., Nagumo, T., and Mashita, T.
Material parameters
Refined methods for tire computation (Domscheit, Rothert, and Winkelmann), Oct.–Dec., 291
Models
Tire design theory based on optimization of stress-strain cycles of its elements (CSSOT) (Tretyakov and Sokolov), April–June, 100

N

Nagumo, T.: *see* Hanada, R., Nagumo, T., and Mashita, T.
Nonuniformity
Mathematical models of stiffness nonuniformity and run-out effects as measured on a low speed nonuniformity machine (Allaei, Soedel, and Yang), July–Sept., 158

O

Oden, J. T.: *see* Faria, L. O., Bass, J. M., Oden, J. T., and Becker, E. B.
Ogasawara, S.: *see* Yamazaki, S., Fujikawa, T., Hasegawa, A., and Ogasawara, S.

P

Parhizgar, S.: Determination of stiffness properties of multi-ply cord rubber composites, July–Sept., 201
Pelle, R. G.: *see* Tseng, N. T., Pelle, R. G., and Chang, J. P.
Pendulum test
A test for measuring transient characteristics of tires (Bandel and Di Bernardo), April–June, 126

Ply steer
Indoor test procedures for evaluation of tire treadwear and influence of suspension alignment (Yamazaki, Fujikawa, Hasegawa, and Ogasawara), Oct.–Dec., 236
Pneumatic Trail
Theoretical laws for rear steering in four-wheel steering vehicles, seen from the tire's point of view (Salerno), Jan.–March, 52
Pottinger, M. G. and Fairlie, A. M.: Characteristics of tire force and moment data, Jan.–March, 15
Pottinger, M. G. and Fairlie, A. M.: Relationship between tire tread physical properties and tire force and moment properties, April–June, 109
Pull forces
Characteristics of tire force and moment data (Pottinger and Fairlie), Jan.–March, 15

R

Rear-wheel steering
Theoretical laws for rear steering in four-wheel steering vehicles, seen from the tire's point of view (Salerno), Jan.–March, 52
Relaxation length
A test for measuring transient characteristics of tires (Bandel and Di Bernardo), April–June, 126
Theoretical laws for rear steering in four-wheel steering vehicles, seen from the tire's point of view (Salerno), Jan.–March, 52
Road structure
Tire-road interactions — harmony or conflict? (Williams), Jan.–March, 66
Rolling contact
A three-dimensional rolling contact model for a reinforced rubber tire (Faria, Bass, Oden, and Becker), July–Sept., 217
Rothert, H.: *see* Domscheit, A., Rothert, H., and Winkelmann, T.
Rutted road
Improvements of wandering performance by investigation into characteristics of tires (Yamashita and Shiraishi), July–Sept., 175

S

Salerno, P.: Theoretical laws for rear steering in four-wheel steering vehicles, seen from the tire's point of view, Jan.–March, 52
Schuring, D. J.: A statistical model of tire uniformity distributions, Jan.–March, 2
Shiraishi, T.: *see* Yamashita, O. and Shiraishi, T.
Sidewall stiffness
Phase lag of tire cornering force (Hanada, Nagumo, and Mashita), July–Sept., 184
Sinusoidal steer angle
A test for measuring transient characteristics of tires (Bandel and Di Bernardo), April–June, 126
Soedel, W.: *see* Allaei, D., Soedel, W., and Yang, T. Y.
Sokolov, S. L.: *see* Tretyakov, O. B. and Sokolov, S. L.

Steel belt structure
Torsional stiffness of a steel-cord-reinforced belt structure, (Akasaka, Katoh, and Makinouchi), Oct.–Dec., 274
Steer angle
Indoor test procedures for evaluation of tire treadwear and influence of suspension alignment (Yamazaki, Fujikawa, Hasegawa, and Ogasawara), Oct.–Dec., 236
Stiffness properties
Determination of stiffness properties of multi-ply cord rubber composites (Parhizgar), July–Sept., 201
Su, J. H.: Design and analysis of a composite integral wheel-tire, April–June, 138

T

Test variation
Characteristics of tire force and moment data (Pottinger and Fairlie), Jan.–March, 15
Theves, M.: *see* Gardner, I. and Theves, M.
Tire aligning torque
Relationship between tire tread physical properties and tire force and moment properties (Pottinger and Fairlie), April–June, 109
Tire asymmetries
Characteristics of tire force and moment data (Pottinger and Fairlie), Jan.–March, 15
Tire design
Tire design theory based on optimization of stress-strain cycles of its elements (CSSOT) (Tretyakov and Sokolov), April–June, 100
Relationship between tire tread physical properties and tire force and moment properties (Pottinger and Fairlie), April–June, 109
Tire footprint
Computer modeling of a tire under cornering loads (Gardner and Theves), April–June, 86
Design and analysis of a composite integral wheel-tire (Su), April–June, 138
Tire force and moment
Characteristics of tire force and moment data (Pottinger and Fairlie), Jan.–March, 15
Relationship between tire tread physical properties and tire force and moment properties (Pottinger and Fairlie), April–June, 109
Tire lateral force
Relationship between tire tread physical properties and tire force and moment properties (Pottinger and Fairlie), April–June, 109
Tire modeling
A test for measuring transient characteristics of tires (Bandel and Di Bernardo), April–June, 126
Tire noise
Tire-road interactions — harmony or conflict? (Williams), Jan.–March, 66
Tire-rim forces
Computer modeling of a tire under cornering loads (Gardner and Theves), April–June, 86

Finite element simulation of tire-rim interface (Tseng, Pelle, and Chang), Oct.–Dec., 305
Tire-road interaction
Tire-road interactions — harmony or conflict? (Williams), Jan.–March, 66
Tire run-out
A statistical model of tire uniformity distributions (Schuring), Jan.–March, 2
Mathematical models of stiffness nonuniformity and run-out effects as measured on a low speed nonuniformity machine (Allaei, Soedel, and Yang), July–Sept., 158
Tire structure
Tire-road interactions — harmony or conflict? (Williams), Jan.–March, 66
Tire uniformity
A statistical model of tire uniformity distributions (Schuring), Jan.–March, 2
Tire wandering
Improvements of wandering performance by investigation into characteristics of tires (Yamashita and Shiraishi), July–Sept., 175
Toe angle
Indoor test procedures for evaluation of tire treadwear and influence of suspension alignment (Yamazaki, Fujikawa, Hasegawa, and Ogasawara), Oct.–Dec., 236
Torsional stiffness
Torsional stiffness of a steel-cord-reinforced belt structure, (Akasaka, Katoh, and Makinouchi), Oct.–Dec., 274
Transient tire characteristics
A test for measuring transient characteristics of tires (Bandel and Di Bernardo), April–June, 126
Tread compound physical properties
Relationship between tire tread physical properties and tire force and moment properties (Pottinger and Fairlie), April–June, 109
Tread pattern
Tire-road interactions — harmony or conflict? (Williams), Jan.–March, 66
Tread rubber
Tire-road interactions — harmony or conflict? (Williams), Jan.–March, 66
Treadwear
Indoor test procedures for evaluation of tire treadwear and influence of suspension alignment (Yamazaki, Fujikawa, Hasegawa, and Ogasawara), Oct.–Dec., 236
Tretyakov, O. B. and Sokolov, S. L.: Tire design theory based on optimization of stress-strain cycles of its elements (CSSOT), April–June, 100
Trim state
Characteristics of tire force and moment data (Pottinger and Fairlie), Jan.–March, 15
Tseng, N. T., Pelle, R. G., and Chang, J. P.: Finite element simulation of tire-rim interface, Oct.–Dec., 305

U

Updated cord angle
Refined methods for tire computation (Domscheit, Rothert, and Winkelmann), Oct.–Dec., 291

V

Vehicle handling
Theoretical laws for rear steering in four-wheel steering vehicles, seen from the tire's point of view (Salerno), Jan.–March, 52
Vibration
Mathematical models of stiffness nonuniformity and run-out effects as measured on a low speed nonuniformity machine (Allaei, Soedel, and Yang), July–Sept., 158

W

Wet traction
Tire-road interactions — harmony or conflict? (Williams), Jan.–March, 66
Wheels
Design and analysis of a composite integral wheel-tire (Su), April–June, 138
Williams, A. R.: Tire-road interactions — harmony or conflict?, Jan.–March, 66
Winkelmann, T.: *see* Domscheit, A., Rothert, H., and Winkelmann, T.

Y

Yamashita, O. and Shiraishi, T.: Improvements of wandering performance by investigation into characteristics of tires, July–Sept., 175
Yamazaki, S., Fujikawa, T., Hasegawa, A., and Ogasawara, S.: Indoor test procedures for evaluation of tire treadwear and influence of suspension alignment, Oct.–Dec., 236
Yang, T. Y.: *see* Allaei, D., Soedel, W., and Yang, T. Y.
Yaw angle
Indoor test procedures for evaluation of tire treadwear and influence of suspension alignment (Yamazaki, Fujikawa, Hasegawa, and Ogasawara), Oct.–Dec., 236
Yaw rate
Improvements of wandering performance by investigation into characteristics of tires (Yamashita and Shiraishi), July–Sept., 175